1st & final SBR 70/15-16 D: 31-7-2015

Jobcode 014-W-00001 Pur 1777
SPA 10.04
AS NO: EE/DD/019/14-15 dt 29.10.04
TS No: EE/DD/069/14-15 171963 29.10.14

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

Serial No.....

Name of work. Providing & Asphalting to pot holes & Filling Road Cutting

Name of Contractor of nature of Agency: Dasarahalli Zone No 14.
Sri B.T. Kumar. No 65. 3rd Cross 5th Main

Date of commencement of work... EE/DD/356/14-15 dt 31/3/15

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Recd dt 30/6/2015						
1	Earth work Excavation by manual means in ordinary Soil including carriage of all lead upto 50m and all lift upto 1.5m from excavated pit fully leveling & dressing neatly the sides portion of earth to be used neatly after mixing of clay Capillo as per Specification and all lead & lifts & Capillo					388.19 Cu	26864
	Other present roads Well no 171985/1 & 171991/2				0.25	0.25 Cu	
2	Providing Layer Spreading of Capillo Gravel & Stone aggregate to wet mix macadam Specification including rolling complete						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Kerb Stone laying on Main road	1	4.20	0.90		3.78	
		1	6.60	2.75		16.80	
		1	4.00	1.80		7.20	
		1	1.60	1.20		1.92	
		1	1.80	1.00		1.80	
		1	10.40	1.50		15.60	
		1	10.00	0.90		9.00	
		1	1.90	0.70		1.33	
		1	5.00	1.00		5.00	
		1	10.30	1.20		10.80	
		1	1.50	1.00		1.50	
		1	2.10	1.20		2.52	
		1	5.30	1.20		6.36	
		1	11.00	1.00		11.00	
		1	11.50	1.00		11.00	
		1	1.00	0.20		0.20	
		1	12.00	1.10		13.20	
	Measurements Carried	1	11.50	1.10		12.65	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	For making extra water at one time in measured quantity of approved brand of Sodium based water reducing admixture in well prepared trough of capacity not less than 200 litres for the work done in Chamber No 1 and Chamber No 2 of Clarifloculator as per direction of Engineer-in-charge. 1719921/1 1719921/2 (Two Nos)					298.496 Kg	403558
3	Providing and fixing in position 1 no. Stainless steel Vertical Ladder of 450 mm width with 19 mm dia rungs @ 300 mm c/c and 2 nos. 50 mm x 6 mm flat bar stringers with 2 nos. 50 mm x 50 mm x 6 mm MS angle cleats at top and bottom for fixing to wall with 12 mm dia MS bolts and nuts including cutting holes in wall, making good the damages, applying two coats of bituminous paint etc complete as per drawing and as directed by Engineer-in-charge.						

M.A.R. 57 (Rule 116)

Measurement Book

171964

No. C/09

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Wireless Cabin at Mainmal.	1	3.70	1.20	—	4.40	
		1	3.70	1.00	—	3.70	
		1	2.20	1.60	—	3.52	
		1	4.00	1.20	—	4.80	
		1	3.00	0.60	—	1.80	
		1	4.00	2.40	—	9.60	
		1	2.30	1.00	—	2.30	
		1	1.60	1.10	—	1.76	
		1	2.40	1.30	—	3.12	
		1	5.20	1.00	—	5.20	
		1	3.80	2.90	—	8.20	

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

171965

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	BBMP Office Mr Layout						
		1	6.00	0.20	-	4.20	
		1	6.50	0.20	-	4.55	
		1	7.00	1.30		9.10	
		1	7.00	1.00		7.00	
		1	1.40	1.80		2.52	
		1	6.90	1.30		8.97	
		1	4.00	0.80	-	3.20	
		1	5.80	0.60	-	3.48	
		1	5.50	0.80	-	4.40	
		1	2.70	1.00	-	2.70	
		1	1.20	7.00	-	11.90	
		1	0.70	8.20	-	5.74	

CA Pl @ 29/6

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	2.70	2.70	—	5.40	
		1	0.60	7.65	—	4.58	
		1	0.90	0.80	—	0.72	
		1	1.40	5.10	—	7.14	
		1	1.60	5.60	—	8.96	
		1	0.90	5.10	—	4.59	
		1	1.20	1.10	—	1.32	
		1	0.60	2.00	—	1.20	
	MCR layout						
	marking	1	1.00	0.90	—	0.90	
		1	1.80	3.10	—	5.40	
		1	0.60	1.00	—	0.60	
		1	0.80	1.00	—	0.80	
		1	1.60	2.80	—	4.48	
		1	0.80	0.90	—	0.72	
		1	1.90	3.60	—	6.84	
		1	1.80	1.80	—	2.70	
		1	1.90	12.00	—	22.80	
		1	3.00	3.00	—	9.00	

Measurements checked and found correct

E.E. (E.D.) 29/06/15

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

171966

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	C/R/C Bl 24/6/18	1	1.70	8.30	—	14.11	
		1	0.50	3.10	—	2.79	
		1	2.10	6.30	—	12.60	
		1	0.80	1.60	—	1.28	
		1	1.10	1.10	—	1.10	
	22/6 Measurement taken M/S Nawaraj Roog 2nd main Roog P&T main Roog	1	1.80	1.30	—	2.34	
	Measurements checked and found correct	1	1.40	5.80	—	8.12	
		1	1.50	5.40	—	8.10	
	EE.D.J 27/06/18	1	2.30	2.90		6.67	
		1	1.40	2.20		3.08	
		1	1.70	7.00		11.90	
		1	1.10	4.00		4.40	
		1	1.90	2.40		4.56	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Measurements checked and found correct E.E. (R&B)	1	1.90	4.00	1	7.60	
		1	1.40	2.60	1	3.64	
		1	4.30	1.30	1	5.59	
		1	9.80	2.10	1	20.58	
		1	9.80	1.90	1	18.62	
		1	1.40	3.00	1	4.20	
		1	4.20	1.60	1	6.72	
		1	3.00	2.30	1	6.90	
	Lightning	1	1.30	1.60	1	2.08	
		1	1.70	3.00	1	5.10	
		1	1.10	4.90	1	5.39	
		1	1.20	5.50	1	6.60	
		1	1.60	2.40	1	3.84	
		1	1.10	4.20	1	4.62	
		1	6.00	1.00	1	6.00	
		1	0.80	6.00	1	4.80	
		1	6.00	0.90	1	5.40	
		1	1.50	6.20	1	9.30	
		1	1.60	3.80	1	6.24	

M.A.R. 57 (Rule 116)

Measurement Book

171367

No. C/09

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	0.80	6.00	-	4.80	
		1	1.30	1.60	-	2.08	
		1	0.80	6.00	-	4.80	
		1	1.10	6.00	-	6.60	
		1	1.20	6.00	-	7.20	
		1	1.30	2.10	-	2.73	
		1	2.50	1.50	-	4.75	
		1	7.50	2.70	-	20.25	
		1	1.10	7.40	-	8.14	
		1	1.20	7.00	-	8.40	
		1	1.00	6.00	-	6.00	
		1	1.60	1.70	-	2.72	
		1	1.70	3.30	-	5.61	
		1	1.40	2.00	-	2.80	

23/6

Measurement Cultural Sanctioning & School Building Renovation Work

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	1.60	2.00	—	3.20	
		1	1.80	5.50	—	10.62	
		1	1.40	2.50	—	3.50	
		1	1.50	2.20	—	3.30	
		1	1.60	1.90	—	3.04	
		1	0.80	2.30	—	1.84	
		1	1.30	8.00	—	10.40	
		1	1.50	1.90	—	2.85	
		1	6.00	1.20	—	10.20	
		1	6.00	0.80	—	4.80	
		1	1.40	2.00		2.80	
		1	1.20	4.60	—	7.82	
		1	1.20	4.00	—	4.80	
		1	1.20	1.50	—	1.80	
		1	1.20	1.40	—	1.68	
		1	0.90	5.00	—	4.50	
Annaji Convension Hall opp road		1	1.10	0.80	—	0.88	
		1	1.60	1.50	—	1.65	
		1	1.80	1.50	—	2.70	
		1	1.20	1.80	—	2.16	

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

171968

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	1.00	0.50	-	0.50	
		1	1.80	1.50	-	2.70	
		1	1.50	1.50	-	2.25	
		1	1.00	1.30	-	1.30	
		1	1.30	3.60	-	4.68	
		1	6.00	1.00	-	6.00	
		1	1.00	1.00	-	1.00	
		1	1.80	6.00	-	10.80	
		1	2.00	3.00	-	6.00	
	MEP layout towards	1	2.50	6.00	-	13.80	
	main entrance	1	1.50	5.40	-	8.10	
		1	0.60	1.00	-	0.60	
		1	1.90	3.80	-	7.22	
		1	2.70	1.00	-	2.70	
		1	3.60	3.80	-	13.68	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	1.10	2.50	1	2.75	
		1	1.80	2.60	1	4.68	
		1	1.20	4.00	1	4.80	
		1	1.50	1.80	1	2.70	
		1	1.80	3.20	1	5.76	
		1	2.00	2.90	1	5.80	
		1	3.00	6.00	1	18.0	
		1	1.20	3.00	1	3.60	
		1	2.00	2.20	1	4.40	
		1	1.60	2.50	1	4.00	
		1	4.00	3.20	1	12.80	
		1	1.50	1.60	1	2.40	
		1	1.80	2.50	1	4.50	
		1	1.90	3.00	1	5.70	
		1	5.20	1.30	1	6.76	
		1	1.30	1.30	1	1.69	
		1	1.10	1.50	1	1.65	
		1	1.40	1.60	1	2.24	
		1	1.40	2.80	1	3.92	
		1	5.40	4.30	1	23.22	
		1	1.50	4.60	1	5.52	
		1	3.00	1.00	1	3.00	

M.A.R. 57 (Rule 116)

Measurement Book

171969

No. C/09

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1 -	1.80	3.80	-	4.96	
		1	1.40	10.70	-	11.77	
		1	1.40	2.00	-	2.80	
		1	2.20	8.00	-	17.60	
		1	0.80	6.00	-	4.80	
		1	1.10	1.50	-	1.65	
		1	0.80	6.00	-	5.40	
		1	0.70	2.20	-	1.54	
		1	1.30	1.80	-	2.47	
		1	0.80	2.00	-	1.60	
		1	1.20	2.30	-	2.76	
		1	1.60	1.50	-	2.40	
		1	1.00	1.20	-	1.20	
		1	0.80	3.50	-	2.80	

24/6/2015

Measurements checked and found correct

E.E. (R.D.)

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		+1	2.30	2.00	—	4.60	
		+1	1.00	3.00	—	3.00	
		+1	2.20	2.60	—	5.72	
		+1	1.30	1.50	—	1.95	
		1	2.90	1.70	—	4.93	
		1	1.10	1.70	—	1.87	
		1	1.40	2.50	—	3.50	
		1	1.40	2.40	—	3.36	
		1	6.50	1.10	—	7.15	
		1	1.00	1.40	—	1.40	
		1	1.20	2.20	—	2.64	
		1	0.60	4.00	—	2.40	
		1	1.10	2.10	—	2.31	
		1	1.00	1.80	—	1.80	
		1	1.40	1.60	—	2.24	
		1	1.90	6.50	—	12.35	
		1	2.60	6.00	—	15.60	
		1	1.20	5.50	—	9.35	
		1	1.20	3.80	—	4.56	
		1	1.50	8.20	—	11.31	

C&PC 29/8/15

Measurements checked and found Correct

E.E.(D.D.)

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

171970

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	0.90	5.20	-	5.13	
		1	1.20	5.80	-	6.96	
		1	1.10	6.00	-	6.60	
		1	1.10	1.50	-	1.65	
		1	1.30	10.80	-	14.04	
	13th main	1	1.50	1.90	-	2.85	
		1	1.00	1.20	-	1.20	
		1	1.40	2.20	-	3.08	
		1	2.00	2.60	-	5.20	
	10th main 2nd	1	1.00	6.00	-	6.00	
		1	7.00	0.90	-	6.30	
	Pipe laying work upto	1	3.50	2.00	-	7.00	
	V.V. Jayathirtha School way	1	3.00	1.50	-	4.50	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	2.50	1.00	—	2.50	
		1	2.30	2.50	—	5.75	
		1	14.00	2.00	—	28.00	
		1	3.00	3.20	—	9.60	
		1	0.60	2.60	—	1.56	
		1	1.20	1.00	—	1.20	
		1	2.80	1.90	—	5.32	
		1	0.50	1.00	—	0.50	
		1	5.00	1.50	—	7.50	
		1	2.00	2.00	—	4.00	
						210.50 Cum	
			Lumb 1194.00 Sqm				
	4 Carrying the excavated earth soil etc over head and lead of 0 to 50 m by any means including the cost of loading etc complete as per site orders					358.19 Cum @ 25.60/Cum	

488346/-

27938/-

946708.00

Ex

28/6/2015